APPENDIX 1 – Lighting Audit Report Form

TO BE COMPLETED BY QUALIFIED LIGHTING CONSULTANT AND SENT TO FFSA WITH READINGS

The audit on which this report is based has been conducted to ascertain compliance with Football Federation South Australia's *Lighting Policy* and Australian Standard AS2560.2.3-2007.

Report PREPARED by (Lighting Consultant Name and Company)					
Contact telephone					
Contact e-mail					
Date of Audit Ins	pection			Date of Report	
Venue					
Address					
Pitch Name					
Report commiss (club/Council)	ioned by				
Contact Person	at Club/Co	ouncil			
Contact telepho	ne				
Details of the <u>Te</u>	st Equipme	<u>ent</u>			
Equipment Used (make and model)			Date of most recent calibration		
A copy of the m	ost recent	calibration c	ertificat	e MUST be attached	
Lines Marked Yes No (circle					
Field Dimensions (in metres, line to line) Note: lines must be marked and goals in pla		soo for th	Length	Width	
Note. Thes must b	e marked (ana goals in pic	ice ioi ii	те адан то таке ріасе	

Details of the Lighting System Sketch to be provided showing approximate locations

Number of poles/masts		Height of masts	
Location (circle)	Side / corners	Brand of floodlight	
Type of floodlight		Lamp Wattage	
Total lamps		Lamps operating	

Illuminance, Uniformity and Glare

A copy of the recorded light meter readings across the ground MUST be attached

Illuminance			
Measured horizontal illu	uminance level (average	e lux at 0.00 metres)	
If this system has recen factor to assess mainto	tly been installed or upg iined value.	raded apply 80%	
Uniformity			
Minimum		Maximum	
U1 (Min:Ave)		U2 (Min:Max)	
Glare			
Insert Comment on co	mpliance with Australian	Standard:	
Vertical Illuminance			
	rmity of vertical illuminarectory paths and percep	•	
Insert Comment:			
System Reliability			
	the lighting system is suff		
	confidence there will no visual inspection of the o		
comments relate to a visual inspection of the on-site lighting infrastructure and review of plans if available, not detailed testing. Specifically the switchboard should be checked for			
any apparent problems – e.g. able to be securely locked, loose switches etc. Similarly the poles should be checked for any apparent problems which could lead to a lack of reliability			
in the system (e.g. loos		bierris willer eoola lead	To a rack of remadimy
Switchboard visually examined	Yes No (circle)	Poles visually examined	Yes No (circle)
Insert Comment:			

Summary Comments

Include any comments on the system which you consider the governing body FFSA should be aware of in relation to this system.
Please include any remediation required to enable the system to meet the required standards.
Insert Comment:

Certification

I declare that:

- 1. I have inspected the lighting at the above named venue in accordance with the Australian Standard AS2560.2.3-2007.
- 2. The details regarding my inspection, the measurements obtained, the resulting calculations and my professional opinion regarding the condition of the lighting system have been accurately recorded on this form.
- 3. I have applied my independent professional expertise to this audit and report and have not been influenced in my assessment by any inducement or instruction by the commissioning organisation or any party associated with the venue.
- 4. On the basis of my inspection the Lighting System on the pitch specified in this report: (Please tick ONE box next to the applicable statement)

meets Australian Standard AS2560.2.3-2007 for semi-professional competition; OR	
meets Australian Standard AS2560.2.3-2007 for amateur competition; OR	
does not meet Australian Standard AS2560.2.3-2007 for either amateur or semi-professional competition	

5. The Lighting System (including electrical infrastructure) inspected: (Please tick ONE box next to the applicable statement)

does <u>not</u> have discernable characteristics, whether as installed or due to maintenance or otherwise, which would make it unreliable for competition match lighting;	
does have discernable characteristics, whether as installed or due to maintenance or otherwise, which would make it unreliable for competition match lighting.	

SIGNED	
NAME	
COMPANY	
DATE	